

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10532842

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Friday
Date: 10/27/2006
Time: 09:54:30

 **PALM INTRANET**

Inventor Information for 10/532842

| | | |
|-------------------|-------|---------------|
| Inventor Name | City | State/Country |
| KOBAYASHI, SUSUMU | TOKYO | JAPAN |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)[Invento](#)

Search Another: Application#

[Search](#)

or Patent#

[Search](#)

PCT / /

[Search](#)

or PG PUBS #

[Search](#)

Attorney Docket #

[Search](#)

Bar Code #

[Search](#)

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | |
|-------------------------|----------|---|---------|---|------------------------------------|
| US 20060165000 A1 | 20060727 | Multiplicity adjustment system and method | 370/242 | 370/252 | Nakaminami; Toshihiro et al. |
| US 20060129495 A1 | 20060615 | Digital content reproducing apparatus and method thereof | 705/59 | | Okamoto; Ryuichi et al. |
| US 20060092338 A1 | 20060504 | Projection display system having selective light projecting device | 348/744 | | Sakai; Hiroshi et al. |
| US 20060085814 A1 | 20060420 | Digital content reproduction device and digital content use control method | 725/29 | 725/25; 725/46 | Okamoto; Ryuichi et al. |
| US 20060079833 A1 | 20060413 | Syringe pump | 604/65 | 604/154 | Kobayashi; Susumu |
| US 20060036980 A1 | 20060216 | Method and apparatus for jitter analysis and program therefor | 716/4 | 703/14 | Kobayashi; Susumu |
| US 20050262078 A1 | 20051124 | Database processing method, apparatus for implementing same, and medium containing processing program therefor | 707/8 | | Nakano, Yukio et al. |
| US 20050234392 A1 | 20051020 | Peritoneal dialyzer and method of peritoneal dialysis | 604/29 | | Mineshima, Michio et al. |
| US 20050185139 A1 | 20050825 | Light modulating unit and image projection apparatus | 353/20 | | Yamanaka, Kazuya et al. |
| US 20050159716 A1 | 20050721 | Medical aspirator | 604/317 | | Kobayashi, Susumu et al. |
| US 20050084734 A1 | 20050421 | Polymer electrolyte fuel cell | 429/35 | 429/30; 429/44 | Kobayashi, Susumu et al. |
| US 20050048338 A1 | 20050303 | Polymer electrolyte fuel cell system and operation method thereof | 429/26 | 429/13; 429/19; 429/20; 429/30 | Kobayashi, Susumu et al. |
| US 20040267757 A1 | 20041230 | Method and system for managing database having a capability of passing data, and | 707/10 | | Kobayashi, Susumu et al. |

| | | | | | |
|-------------------------|----------|--|----------|--|------------------------------|
| | | medium relevant thereto | | | |
| US 20040260602 A1 | 20041223 | System for business service management and method for evaluating service quality of service provider | 705/11 | | Nakaminami, Toshihiro et al. |
| US 20040234831 A1 | 20041125 | Electrolyte membrane for a fuel cell, electrolyte membrane electrode assembly for a fuel cell, and a fuel cell | 429/30 | 429/35; 429/36 | Kobayashi, Susumu et al. |
| US 20040224206 A1 | 20041111 | Polymer electrolyte fuel cell | 429/32 | 429/13; 429/26; 429/38 | Matsumoto, Toshihiro et al. |
| US 20040214799 A1 | 20041028 | Cancerous metastasis inhibitors containing carbacyclic phosphatidic acid derivatives | 514/109 | | Mukai, Mutsuko et al. |
| US 20040214066 A1 | 20041028 | Polymer electrolyte type fuel cell | 429/34 | 264/328.17; 429/30; 429/35 | Hatoh, Kazuhito et al. |
| US 20040209151 A1 | 20041021 | Polymer electrolyte fuel cell having improved current collector plates and method of forming the same | 429/38 | 264/271.1; 264/272.11; 429/32; 429/37 | Hase, Nobuhiro et al. |
| US 20040111442 A1 | 20040610 | Database processing method, apparatus for implementing same, and medium containing processing program therefor | 707/200 | | Nakano, Yukio et al. |
| US 20040083145 A1 | 20040429 | Method and system for processing tax reporting data | 705/31 | | Kobayashi, Susumu et al. |
| US 20040068933 A1 | 20040415 | Reforming apparatus and operation method thereof | 48/127.9 | 422/188; 422/190; 422/191; 422/193; 422/194; 422/198; | Nakamura, Toru et al. |

| | | | | | |
|-------------------------|----------|---|-----------|---|-----------------------------|
| | | | | 422/200; 422/211; 422/234; 48/128; 48/198.1; 48/198.3; 48/198.6; 48/198.7; 48/61; 48/62R | |
| US 20040048126 A1 | 20040311 | Polymer electrolyte fuel cell and production method of separator plate thereof | 429/32 | 264/319; 429/38 | Shibata, Soichi et al. |
| US 20040024741 A1 | 20040205 | Database processing method | 707/1 | | Hara, Norihiro et al. |
| US 20030217071 A1 | 20031120 | Data processing method and system, program for realizing the method, and computer readable storage medium storing the program | 707/102 | | Kobayashi, Susumu et al. |
| US 20030211376 A1 | 20031113 | Polymer electrolyte fuel cell, method of manufacturing the same and inspection method therefor | 429/32 | 429/39; 429/44 | Hatoh, Kazuhito et al. |
| US 20030170152 A1 | 20030911 | Ultraviolet pasteurizer | 422/186.3 | 422/24 | Kobayashi, Susumu et al. |
| US 20030152819 A1 | 20030814 | Polymer electrolyte fuel cell | 429/32 | 429/30; 429/34; 429/38; 429/39 | Hatoh, Kazuhito et al. |
| US 20030091885 A1 | 20030515 | High polymer electrolyte fuel cell and electrolyte film-gasket assembly for the fuel cell | 429/32 | 427/115; 429/35; 429/38; 429/39 | Kobayashi, Susumu et al. |
| US 20030087142 A1 | 20030508 | Polymer electrolyte fuel cell | 429/30 | 429/26; 429/35; 429/38 | Kobayashi, Susumu et al. |
| US 20030078157 | 20030424 | Method of manufacturing | 502/101 | 429/30; 429/40 | Matsuoka, Hiroaki et al. |

| | | | | | |
|-------------------------|----------|--|-----------|---|------------------------------|
| A1 | | electrolytic film electrode connection body for fuel cell | | | |
| US 20030072986 A1 | 20030417 | Polymer electrolyte fuel cell and conductive separator plate thereof | 429/34 | 429/26; 429/32; 429/35; 429/38 | Kusakabe, Hiroki et al. |
| US 20030014431 A1 | 20030116 | Database processing method, apparatus for implementing same, and medium containing processing program therefor. | 707/200 | | Nakano, Yukio et al. |
| US 20020198807 A1 | 20021226 | Product brokerage transaction processing system, and product brokerage transaction processing method and program | 705/35 | | Kobayashi, Susumu et al. |
| US 20020197523 A1 | 20021226 | Method of producing fuel cell and fuel cell | 429/38 | 264/328.1; 264/331.11 | Ohara, Hideo et al. |
| US 20020194169 A1 | 20021219 | Database processing method | 707/3 | | Hara, Norihiro et al. |
| US 20020179241 A1 | 20021205 | Electronic component material containing pest repellent, electronic component using the same, and its manufacturing method | 156/308.6 | 257/E23.002; 428/416 | Haniu, Hirohiko et al. |
| US 20020133114 A1 | 20020919 | Personal injector for liquid medicine | 604/67 | 604/122; 604/151 | Itoh, Takehito et al. |
| US 20020010748 A1 | 20020124 | System for transmission/reception of e-mail with attached files | 709/206 | 709/246 | Kobayashi, Susumu et al. |
| US 20010055605 A1 | 20011227 | ELECTRONIC COMPONENT MATERIAL CONTAINING PEST REPELLENT, ELECTRONIC COMPONENT | 424/407 | 156/275.5; 257/E23.002; 424/409; 522/107 | HANIU, HIROHIKO et al. |

| | | | | | |
|-------------------------|----------|---|----------|---|---------------------------------|
| | | USING THE SAME, AND ITS MANUFACTURING METHOD | | | |
| US 20010024709 A1 | 20010927 | Artificial leather shoe and artificial leather suited therefor | 428/91 | 428/904; 442/327; 442/330; 442/381; 442/389; 442/408 | Yoneda, Hisao et al. |
| US 20010024326 A1 | 20010927 | Image display device | 359/618 | 359/626 | Nakamura, Tomoyuki et al. |
| US 20010015793 A1 | 20010823 | Image projection system | 353/74 | 353/122 | Fujita, Manabu et al. |
| US 20010013032 A1 | 20010809 | Parallel database management method and parallel database management system | 707/1 | | Kobayashi, Susumu et al. |
| US 20010007986 A1 | 20010712 | Database processing method | 707/1 | | Hara, Norihiro et al. |
| US 7089249 B2 | 20060808 | Method and system for managing database having a capability of passing data, and medium relevant thereto | 707/10 | 707/1; 709/203 | Kobayashi; Susumu et al. |
| US 6938043 B2 | 20050830 | Database processing method, apparatus for implementing same, and medium containing processing program therefor | 707/10 | 707/104.1 | Nakano; Yukio et al. |
| US 6933070 B2 | 20050823 | Polymer electrolyte fuel cell and conductive separator plate thereof | 429/34 | 264/105; 429/32; 429/35; 429/38 | Kusakabe; Hiroki et al. |
| US 6913591 B2 | 20050705 | Personal injector for liquid medicine | 604/67 | | Itoh; Takehito et al. |
| US 6897460 B2 | 20050524 | Ultraviolet pasteurizer | 250/504R | 250/494.1; 250/496.1; 250/497.1; 250/498.1 | Kobayashi; Susumu et al. |

| | | | | | |
|------------------|----------|--|----------|---|-------------------------------|
| US 6840969 B2 | 20050111 | High polymer electrolyte fuel cell and electrolyte film-gasket assembly for the fuel cell | 29/623.2 | 29/623.4; 29/623.5; 427/115; 429/32; 429/36; 429/39 | Kobayashi; Susumu et al. |
| US 6790552 B2 | 20040914 | Polymer electrolyte fuel cell | 429/30 | 429/35; 429/38 | Kobayashi; Susumu et al. |
| US 6770396 B2 | 20040803 | Polymer electrolyte fuel cell | 429/34 | 429/30; 429/38; 429/39 | Hatoh; Kazuhito et al. |
| US 6739076 B2 | 20040525 | Artificial leather shoe and artificial leather suited therefor | 36/98 | 12/142R; 36/45 | Yoneda; Hisao et al. |
| US 6728710 B2 | 20040427 | Database processing method, apparatus for implementing same, and medium containing processing program therefor | 707/8 | 707/10 | Nakano; Yukio et al. |
| US 6694312 B2 | 20040217 | Database processing method and apparatus for processing data by analyzing query input | 707/4 | 707/10; 707/102; 707/3 | Kobayashi; Susumu et al. |
| US 6674415 B2 | 20040106 | Image display device | 345/32 | 345/30; 345/31; 345/84; 345/87; 348/750; 348/751; 353/30; 353/31; 359/443; 359/446 | Nakamura; Tomoyuki et al. |
| US 6595819 B1 | 20030722 | Equipment for fabricating partitioning ribs of plasma display device | 445/24 | 118/624; 118/625; 239/695; 239/706; 264/255; 264/308; 264/434; 264/484; 264/614; 264/681 | Kitahara; Toshihiro et al. |
| US 6561651 B1 | 20030513 | Multiple display apparatus | 353/30 | 353/37; 353/94 | Kubota; Akihiro et al. |

| | | | | | |
|------------------|----------|--|-----------|---|-----------------------------|
| US 6505199 B1 | 20030107 | Database processing method, apparatus for implementing same, and medium containing processing program therefor | 707/8 | | Nakano; Yukio et al. |
| US 6475328 B2 | 20021105 | Electronic component material containing pest repellent, electronic component using the same, and its manufacturing method | 156/307.3 | 156/307.5; 156/307.7; 257/E23.002; 424/405; 424/411; 427/96.2; 427/97.5 | Haniu; Hirohiko et al. |
| US 6460097 B1 | 20021001 | Data stream output apparatus | 710/60 | 370/454; 370/474; 375/240 | Harumoto; Hideaki et al. |
| US 6412956 B1 | 20020702 | Image projection system | 353/122 | 353/74 | Fujita; Manabu et al. |
| US 6411361 B1 | 20020625 | Printing apparatus, image pickup apparatus and printing system with image pickup function | 355/40 | 358/1.6; 358/906; 358/909.1 | Hidaka; Toru et al. |
| US 6387387 B1 | 20020514 | Electronic component material containing pest repellent, electronic component using the same, and its manufacturing method | 424/409 | 257/E23.002; 424/417; 424/421; 424/630; 514/531; 523/122 | Haniu; Hirohiko et al. |
| US 6212516 B1 | 20010403 | Parallel database management method and parallel database management system | 707/3 | 707/10; 707/8; 715/866 | Kobayashi; Susumu et al. |
| US D418296 S | 20000104 | Box | D3/291 | D3/276; D3/294 | Kobayashi; Susumu |
| US 5983228 A | 19991109 | Parallel database management method and parallel database management system | 707/10 | 707/2 | Kobayashi; Susumu et al. |
| US 5930800 A | 19990727 | Execution of user defined ADT function implemented by embedded module in a database management method | 707/103R | 707/101; 707/102; 707/3; 707/4 | Hara; Norihiro et al. |

| | | | | | |
|-----------------|----------|---|----------|--|---------------------------------|
| US 5920869 A | 19990706 | Database management system | 707/103R | 707/1; 707/10; 707/100; 707/104.1 | Wakayama; Satoshi et al. |
| US 5890153 A | 19990330 | Database lock control method | 707/8 | | Fukuda; Toshihiko et al. |
| US 5860122 A | 19990112 | Backup unit including identifier conversion means | 711/162 | 707/204; 714/6 | Owada; Kiyoshi et al. |
| US 5841743 A | 19981124 | Optical disk changer system and method of managing optical disk changer | 369/30.3 | | Kobayashi; Susumu et al. |
| US 5663601 A | 19970902 | Core winding set for a motor | 310/45 | 310/179; 310/194; 310/216 | Wakabayashi; Shinichi et al. |
| US 5528038 A | 19960618 | Temperature distribution measurement apparatus and its application to a human body detecting system | 250/342 | 250/338.3 | Yoshiike; Nobuyuki et al. |
| US 5522778 A | 19960604 | Automatic transmission with power take-off unit | 477/62 | 477/36; 477/65; 74/733.1 | Iwase; Yoshinobu et al. |
| US 5389611 A | 19950214 | Lactoferrin hydrolyzate for use as an antibacterial agent and as a tyrosinase inhibition agent | 514/6 | 426/656; 426/657; 435/68.1; 514/12; 514/2; 514/21; 530/395; 530/407 | Tomita; Mamoru et al. |
| US 5299428 A | 19940405 | Environmental control system and method | 62/176.6 | 236/91C; 62/261 | Kawaguri; Mariko et al. |
| US 5219838 A | 19930615 | Method for inhibiting tyrosinase activity in treatment of skin | 514/21 | 435/183; 514/8; 530/360; 530/365 | Tomita; Mamoru et al. |
| US 5214028 A | 19930525 | Lactoferrin hydrolyzate for use as an antibacterial agent and as a tyrosinase inhibition agent | 514/6 | 424/94.1; 424/94.66; 426/56; 426/657; 435/68.1; | Tomita; Mamoru et al. |

| | | | | | |
|-----------------|----------|---|-----------|---|---------------------------------|
| | | | | 514/21; 514/8; 530/395; 530/397; 530/407 | |
| US 5164877 A | 19921117 | Semiconductor device | 361/111 | 257/E23.044; 257/E25.016; 361/18; 363/50 | Furuhata; Shooichi et al. |
| US 5143077 A | 19920901 | Constant-rate discharge valve, and electronic automatic sphygmomanometer using same | 600/490 | 137/505.41; 600/493; 600/498 | Kobayashi; Susumu |
| US 5135646 A | 19920804 | Liquid separator | 210/109 | 210/143; 210/513; 210/86; 210/94; 222/103; 222/214; 222/23; 222/52; 222/95; 222/96; D24/169 | Tanokura; Nobukazu et al. |
| US 5124030 A | 19920623 | Solution separating apparatus | 210/86 | 210/109; 210/143; 210/513; 210/94; 222/103; 222/214; 222/23; 222/52; 222/96 | Tanokura; Nobukazu et al. |
| US 5057725 A | 19911015 | Rotary electric machine | 310/51 | 310/181; 310/186; 310/258; 310/67R; 310/DIG.6 | Kasai; Shigeru et al. |
| US 4928723 A | 19900529 | Capacity control valve for a compressor | 137/116.3 | 417/309 | Itahana; Tsutomu et al. |
| US 4899297 A | 19900206 | Method and apparatus for automatically testing temperature measuring devices | 702/116 | 374/1; 702/130 | Sano; Yoshikazu et al. |

| | | | | | |
|-----------------|----------|--|---------|---|------------------------------|
| US 4840620 A | 19890620 | Portable pump for infusing medicine into a living body | 604/246 | 604/131; 604/153 | Kobayashi; Susumu et al. |
| US 4684869 A | 19870804 | Electronic clinical thermometer | 320/108 | 320/139; 374/163; 374/183 | Kobayashi; Susumu et al. |
| US 4648812 A | 19870310 | Method and apparatus for preventing pulsations | 417/474 | | Kobayashi; Susumu et al. |
| US 4556837 A | 19851203 | Electronic clinical thermometer | 320/108 | 320/139; 374/163; 374/183 | Kobayashi; Susumu et al. |
| US 4479797 A | 19841030 | Medication infusion device | 604/153 | 417/474; 417/510; 604/913 | Kobayashi; Susumu et al. |
| US 4469481 A | 19840904 | Apparatus for infusing medication | 604/67 | 128/DIG.1; 128/DIG.12; 604/131; 604/151 | Kobayashi; Susumu |
| US 4443117 A | 19840417 | Measuring apparatus, method of manufacture thereof, and method of writing data into same | 374/1 | 374/165; 374/171; 702/127; 702/131; 702/133 | Muramoto; Yutaka et al. |
| US 4424513 A | 19840103 | Method and apparatus for controlling a dynamic or static type digital display device | 345/208 | | Hatao; Itsuro et al. |
| US 4420711 A | 19831213 | Circuit arrangement for different color light emission | 315/296 | 315/201; 315/208; 315/324; 345/83 | Takahashi; Soichi et al. |
| US 4386336 A | 19830531 | Humidity sensor and a humidity detection circuit using the humidity sensor | 338/35 | 307/118; 427/333; 427/341; 427/343; 428/461; 428/463; 428/516; 428/520; 428/689; 428/913; 526/292.2; 526/294; 526/295; 73/335.05 | Kinomoto; Shinichi et al. |

| | | | | | |
|-----------------|----------|---|---------|--|------------------------------|
| US 4373525 A | 19830215 | Method and apparatus for detecting occlusion in fluid-infusion tube of peristaltic type fluid-infusion pump | 417/63 | 128/DIG.12; 128/DIG.13; 417/38; 417/474 | Kobayashi; Susumu |
| US 4330718 A | 19820518 | Humidity sensor and a humidity detection circuit using the humidity sensor | 307/118 | 307/650; 338/35; 428/913 | Kinomoto; Shinichi et al. |
| US 4296882 A | 19811027 | Centrifugal fluid processing device | 494/18 | 366/219; 494/19; 494/37; 494/43; 494/45; 494/47; 494/60; 494/84 | Kobayashi; Susumu |
| US 3991642 A | 19761116 | Turret press | 83/559 | 83/552; 83/589; 83/598; 83/639.7 | Kobayashi; Susumu et al. |
| US 3886287 A | 19750527 | Cosmetics containing saturated, branched synthetic higher hydrocarbon | 514/789 | 424/63; 424/64; 424/70.1; 514/938; 514/969 | Kobayashi; Susumu et al. |